



Canon PIXMA MG2540

➤ PRINTER SPECIFICATIONS

Print Resolution

Up to 4800 x 600 dpi

Print Technology

2 FINE Cartridges (Black and Color)

Inkjet system with 2pl (min.) ink droplet size

Mono Print Speed

Approx. 8.0 ipm

Color Print Speed

Approx. 4.0 ipm

Borderless Printing

Not available

Two Sided Printing

Manual operation



➤ CARTRIDGES AND YIELDS

Standard Ink Cartridges

PG-445 (Black)

CL-446 (Color)

Optional XL Ink Cartridges

PG-445XL (Black)

CL-446XL (Color)

Cartridge Yield (Plain paper)

A4 color documents printing

Black: 180 pages

Black XL: 400 pages

Color: 180 pages

Color XL: 300 pages

➤ PAPER SUPPORT

Paper Types

Plain Paper

Envelopes

Photo Paper plus Glossy II (PP-201)

Photo Paper Glossy "Everyday Use" (GP-501)

Maximum Paper Input

Rear tray: Max. 60 sheets (plain paper)

Paper Sizes

Plain paper: A4, A5, B5, Letter, Legal



Photo paper: 10x15cm, 13x18cm

Envelopes: DL, COM10

Paper Weight

Plain paper: 64 - 105 g/m²

Canon photo paper: up to 275 g/m²

SCANNER SPECIFICATIONS

Scanner Type

CIS flatbed photo and document scanner

Scanner Resolution (Optical)

600 x 1200 dpi

A4 Scan Speed

Approx. 14 seconds

Scanning Depth (Input / Output)

Color: 48 bit / 24 bit

Greyscale: 16 bit / 8 bit

Maximum Document Size

216 x 297 mm

COPIER SPECIFICATIONS

Copy Speed

sFCOT: Approx. 31 seconds

sESAT: Approx. 1.6 ipm

Multiple Copy



21 copies (max.)

Copy Functions

Document copying (plain paper)

INTERFACE

Display Type & Size

No display

Interface Type - PC / Mac

Hi-Speed USB (B Port)

SOFTWARE

Supported Operating Systems

Windows 10

Windows 8

Windows 7

Windows Vista

Windows XP SP3 (32bit only)

Mac OS X 10.6.8 or later

Supported Mobile Systems

Windows RT

Minimum System Requirements

Windows: 3GB disk space, Internet Explorer 8

Mac: Internet connection, 1.5GB disk space, Safari 5

Display: 1024 x 768 XGA



Software Included

MP Driver including Scanning Utility

My Image Garden with Full HD Movie Print

Quick Menu

Easy-WebPrint EX (download)

PHYSICAL FEATURES

Weight

Approx. 3.5 kg

Dimensions (W x D x H)

426 x 306 x 145mm

Operating Temperature

5-35°C

Operating Humidity

10-90%RH (no dew condensation)

Power Source

AC 100-240V, 50/60Hz

Power Consumption

Off: Approx. 0.4 W

Standby (connected to PC via USB): Approx. 1.0 W (scanning lamp off)

Standby (all ports connected): Approx. 1.0 W (scanning lamp off)

Time to enter Standby mode: 7 minutes

Copying: Approx. 9 W