

3. [Canon PIXMA G2411](#)

4. Specifications & Features - PIXMA G2411

Canon PIXMA G2411 Specifications

Page by category



[⏪ Back to product overview](#)

Key Features



High Page Yield

High page yield




Integrated Ink Tanks

Integrated ink tanks



Hybrid Ink System

Hybrid ink system



Borderless Printing

Borderless printing



Auto Power On

Auto power On



Sharp black text



Sharp Black Text



**Rear
Paper Feeding**

Rear paper feeding



Monochrome LCD

1.2" LCD

Specifications in detail

General Specifications

Functions

Print, Copy, Scan

Printer Specifications

Print Resolution

Up to 4800¹ x 1200 dpi

Print Technology

2 FINE Cartridges (Black and Colour)

Refillable ink tank printer

Mono Print Speed

Approx. 8.8 ipm²

Colour Print Speed

Approx. 5.0 ipm³

Photo Print Speed

Borderless 10 x 15 cm: Approx. 60 seconds⁴

Borderless Printing

Yes (A4, Letter, 20 x 25 cm, 13 x 18 cm, 13 x 13 cm, 10 x 15 cm)

Cartridges And Yields

Standard Ink Cartridges

GI-490 <PGBK>

GI-490 <C>

GI-490 <M>

GI-490 <Y>

Cartridge Yield (Plain paper)

A4 colour documents printing⁵

Black: 6,000 pages per ink bottle*

Colour: 7000 pages*

* Estimated supplemental yield

Cartridge Yield (Photo print)

10 x 15 cm colour photo printing⁶

Colour: 2000 Photos*

* Estimated supplemental yield

Paper Support

Paper Types

Plain Paper

High Resolution Paper (HR-101N)

Photo Paper Plus Glossy II (PP-201)

Photo Paper Pro Luster (LU-101)

Photo Paper Plus Semi-gloss (SG-201)

Glossy Photo Paper "Everyday Use" (GP-501)

Matte Photo Paper (MP-101)

Envelope

Maximum Paper Input

Rear tray: Max. 100 sheets (plain paper)

Paper Sizes

A4, A5, B5, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, Envelopes (DL, COM10), Letter, Legal

Paper Weight

Plain paper: 64 – 105 g/m²

Canon photo paper: up to 275 g/m²

Scanner Specifications

Scanner Type

CIS flatbed photo and document scanner

Scanner Resolution (Optical)

600 x 1200 dpi⁷

A4 Scan Speed

Approx. 19 sec⁸

Scanning Depth (Input / Output)

Colour: 48 bit / 24 bit

Greyscale: 16 bit / 8 bit

Maximum Document Size

216 x 297 mm

Copier Specifications

Copy Speed

sFCOT: Approx. 32 sec⁹

sESAT: Approx. 1.7 ipm¹⁰

Multiple Copy

20 copies (max.)

Copy Functions

Document copying (plain paper)

Copy Zoom

Fit to page

Interface

Display Type & Size

LCD (1.2 inch segment mono)

Interface Type - PC / Mac

Hi-Speed USB (B Port)

Software

Supported Operating Systems

Windows 10, Windows 8.1, Windows 7 SP1

.NET Framework 4.5.2 or 4.6 is required

Minimum System Requirements

Windows: 3.1 GB disk space, Internet Explorer 8

Display: 1024 x 768 XGA

Software Included

MP Driver including Scanning Utility

My Image Garden with Full HD Movie Print¹¹

Quick Menu

Easy-WebPrint EX (download)¹²

Physical Features

Weight

Approx. 6.3 kg

Dimensions (W x D x H)

Approx. 445 x 330 x 163 mm

Acoustic Noise Levels

Approx. 53.5dB(A)¹³

Operating Temperature

5 – 35 °C

Operating Humidity

10 – 90 %RH (no dew condensation)

Power Source

AC 100 – 240 V, 50/60 Hz

Power Consumption

Off: Approx. 0.2 W

Standby (connected to PC via USB): Approx. 0.6 W (scanning lamp off)

Standby (all ports connected): Approx. 0.6 W (scanning lamp is off)